

## **Attachment 8 – Region 8**

---

## REGION 8

### Table of Contents

<b>A. General Information</b> .....	3
HIV/AIDS Status .....	3
Background Characteristics .....	5
<b>B. Health Insurance, Employment, and Income</b> .....	8
Health Insurance .....	8
Employment and Income .....	11
<b>C. Primary Medical Care</b> .....	14
Overall Health .....	16
Health-Seeking Behavior .....	17
Medication Adherence .....	20
Referrals to Other Medical Services .....	21
Out of Care .....	22
Pre- and Post-Natal Care .....	25
Other Medical Conditions .....	26
<b>D. Housing</b> .....	27
<b>E. Childcare</b> .....	34
<b>F. Transportation</b> .....	36
<b>G. Mental Health and Substance Use</b> .....	39
<b>H. Other Services</b> .....	47
<b>I. Support Services</b> .....	50
<b>J. Positive Prevention</b> .....	54
Sources of HIV/AIDS Information .....	56
Sexual Behavior in the Last Three Months .....	57
<b>K. Additional Comments</b> .....	62

## A. General Information

### HIV/AIDS Status

Figure 8A.1: HIV/AIDS Status of Respondents (N=107)





Table 8A.1: Length of Time Since HIV/AIDS Diagnosis

Years	HIV Infection (N=103)	AIDS Diagnosis (N=20)
0-1	10%	20%
2-4	21%	25%
5-9	30%	20%
10-14	17%	25%
15-19	12%	10%
20+	11%	
<b>Total</b>	<b>100%</b>	<b>100%</b>

**Figure 8A.2: Respondents Living in Louisiana at Time of HIV Diagnosis (N=110)**




**Table 8A.2: Place Where Respondents Were Told of HIV Diagnosis**


<b>Location</b>	<b>Number</b>	<b>Percent</b>
HIV/AIDS CBO	11	10%
Hospital/ER	29	28%
Local health center	33	31%
Doctor's office	22	21%
Other	10	10%
<b>Total</b>	<b>105</b>	<b>100</b>

**Background Characteristics**

**Figure 8A.3: Gender of Respondents (N=103)**




**Figure 8A.4: Race of Respondents (N=107)**




- None of the respondents consider themselves to be Latino/a/Hispanic.


**Figure 8A.5: Age of Respondents (N=107)**



**Figure 8A.6: Highest Level of Education Completed by Respondents (N=105)**



**Figure 8A.7: Current Marital Status of Respondents (N=105)**



**Figure 8A.8: Language Preference of Respondent**

- All respondents said English is their preferred language.


Citizenship of Respondents

- 108 of the 108 (100%) respondents are U.S. citizens

## B. Health Insurance, Employment, and Income

### Health Insurance


**Figure 8B.1: Health Insurance Needs and Services Used**




**Table 8B.1: Health Insurance Needs and Services Used**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Assistance with health insurance co-payments	25%	8%	17%	51%	65
Assistance with health insurance premiums	14%	12%	15%	58%	65

**Figure 8B.2: Health Insurance Covers HIV/AIDS Related Medical Care (N=106)**




**Figure 8B.3: Barriers to Obtaining Health Insurance Coverage (N=47)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 8B.4: Sources of Health Insurance for Respondents With Insurance (N=59)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


Categories reporting 0% response are not included in the figures.

**Employment and Income**


**Figure 8B.5: Employment Situation in the Last Six Months (N=100)**



**Figure 8B.6: Reasons for Not Being Employed in the Last Six Months (N=57)**




**Figure 8B.7: Reported Monthly Income of Respondents (N=105)**



**Table 8B.2: Mean Number of People per Household by Income (N=183)**

Monthly Income	Mean Number of People
No monthly income	.8
\$1- \$500	1.7
\$501- \$1,000	1.8
\$1,001- \$1,500	1.4
\$1,501- \$2,000	2.2
\$2,001- \$2,500	2.0
\$2,501- \$3,000	2.6
\$3,001- \$3,500	0.0
More than \$3,500	1.5


**Figure 8B.8: Sources of Household Income (N=111)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## C. Primary Medical Care


**Figure 8C.1: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months**



**Table 8C.1: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
HIV/AIDS medical care	73%	5%	3%	19%	88
General medical care	64%	7%	7%	23%	74
Medications	71%	1%	3%	25%	77
Case manager	60%	1%	10%	28%	68
Dental care	38%	21%	13%	29%	77
Information on other services	23%	11%	22%	44%	64
Eye care	29%	11%	14%	46%	76
Alternative therapies	5%	8%	17%	69%	59
Specialty medical care	23%	5%	2%	70%	57
Help taking medications	15%	6%	3%	76%	62
Home health services	13%	3%	5%	79%	61
Hospice	8%	3%	3%	85%	61


**Figure 8C.2: Barriers to HIV/AIDS-Related Medical Services in the Last Six Months (N=49)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Overall Health**

**Figure 8C.3: Self-reported Overall Health Status (N=108)**




**Health-Seeking Behavior**


**Figure 8C.4: Time From HIV Diagnosis to HIV/AIDS-Related Medical Care (N=105)**




**Figure 8C.5: Have Sought HIV/AIDS-Related Medical Care in Last Six Months (N=108)**



**Figure 8C.6: Level of Medical Care Received by Respondents (N=77)**




**Figure 8C.7: Reasons for Not Seeking HIV/AIDS-Related Medical Care in the Last Six Months (N=19)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 8C.8: Places Where Respondent Regularly Receives HIV/AIDS-Related Medical Care (N=106)**



Note: Categories reporting 0% response are not included in the figures.


**Medication Adherence**

**Figure 8C.9: Adherence to Medications Prescribed by Doctor (N=87)**



- 21 out of 108 (19.4%) of respondents reported that they have not been prescribed medications.

**Figure 8C.10: Reasons for Not Taking HIV/AIDS Medications (N=19)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Categories reporting 0% response are not included in the figures.

The percentages in this figure exclude those respondents who indicate in survey question 22 and 23 that they have not been prescribed medications and those who indicate in question 22 that they always take their medications as prescribed.

**Referrals to Other Medical Services**


**Figure 8C.11: Service Referrals at the Time of HIV Diagnosis (N=102)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Out of Care**


**Figure 8C.12: HIV Positive for Five Years or More (N=107)**




**Figure 8C.13: Percentage of Respondents HIV Positive for At Least Five Years Who Have Been Out of Treatment for at Least 12 Months (N=69)**



**Figure 8C.14: Reason for Being Out of Care (N=15)**




**Figure 8C.15: Barriers to Receiving HIV/AIDS-Related Medical Care When Out of Care (N=18)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


Categories reporting 0% response are not included in the figures.

**Figure 8C.16: Reasons for Getting Back Into Care (N=17)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 8C.17: Assistance That Would Have Helped Respondent Get Back Into Care (N=60)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Pre- and Post-Natal Care**

**Figure 8C.18: Females Who Are Pregnant or Have Been Pregnant in the Last 12 Months (N=39)**



- 3 of the 4 (75%) females who have been pregnant received medication to prevent transmission of HIV to their child.

**Figure C.19: Medical Care for Newborn Child (N=5)**




### Other Medical Conditions

**Table 8C.2: Percentage of Respondents Who Have Been Diagnosed With and Are Receiving Treatment for Other Medical Conditions in the Last Six Months**

<b>Condition</b>	<b>Percent diagnosed (N=111)</b>	<b>Percent treated</b>	<b>N</b>
Sexually transmitted disease	9%	100%	10
Hepatitis A or B	5%	100%	4
Hepatitis C	14%	86%	14
Tuberculosis	2%	50%	2
Mental health disorder	11%	100%	11
Heart disease	4%	100%	4
High blood pressure	17%	100%	14
Diabetes	6%	100%	5
Pneumonia	6%	100%	5
Other	5%	0%	1

## D. Housing


**Figure 8D.1: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months**



**Table 8D.1: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Money to pay utilities	18%	18%	20%	45%	74
Money to pay rent/mortgage	11%	17%	17%	55%	64
Help finding a place to live	16%	9%	13%	63%	70
Permanent independent housing	5%	14%	9%	72%	65
Temporary short term housing	7%	7%	2%	85%	58
House for persons living with HIV/AIDS	2%	9%	7%	83%	59
Housing where my children can live with me	5%	2%	5%	88%	58
Nursing home	4%	4%	5%	88%	58

**Figure 8D.2: Barriers to HIV/AIDS-Related Housing Services in the Last Six Months (N=66)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Table 8D.2: Places Where Respondents Live Now and 6 Months Ago**


Housing	Current		6 Months Ago	
	Percent	N	Percent	N
Owens: apartment/house/trailer	23%	21	19%	13
Rents: apartment/house/trailer	51%	46	49%	33
Parents/relatives	13%	12	16%	11
Someone else's place	10%	9	8%	5
Assisted living	-	-	5%	3
Nursing home	1%	1	-	-
Other housing provided by the city	2%	2	2%	1
Jail/prison	-	-	2%	1
<b>Total</b>	<b>100%</b>	<b>91</b>	<b>100%</b>	<b>67</b>

Note: Categories reporting 0% response are not included in the figures.

**Figure 8D.3: Length of Time at Current Residence (N=103)**




**Figure 8D.4: Housing Related Barriers That Stop Respondent from Taking Care of Their HIV/AIDS (N=111)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 8D.5: Problems Obtaining Housing in Last Six Months (N=103)**




**Figure 8D.6: Barriers to Obtaining Housing (N=21)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 8D.7: Nights Spent Homeless or Without a Place to Sleep (N=73)**




- Mean number of nights spent homeless or without a place to sleep: 30 (s.d.= 93)

**Figure 8D.8: Monthly Rent/Mortgage Contributions (N=85)**




- Respondents reported an average contribution of \$290.22 (s.d.= \$308.78) to their monthly rent or mortgage. Range = \$0.00 to \$2000.

**Figure 8D.9: Receiving Monthly Housing Subsidy (N=103)**



**Figure 8D.10: Increase Per Month in Rent/Mortgage That Would Cause Respondents to Move (N=72)**



**Table 8D.3: Incarcerated in the Past 12 Months**

<b>Incarceration</b>	<b>Percent</b>	<b>N</b>
Percentage of respondents in prison/jail in the past 12 months	7%	99
Percentage of incarcerated respondents who reported prison nursing staff knew their HIV status	14%	7
Percentage of incarcerated respondents who reported receiving HIV/AIDS medical care while in prison/jail	71%	7

**Figure 8D.11: Type of Information Received When Released from Jail/Prison**


[Too few responses to this question.]

**Figure 8D.12: Barriers to Accessing HIV/AIDS Services after Release from Jail/Prison**

[Too few responses to this question.]

## E. Childcare


**Figure 8E.1: Respondents Living with Children Under the Age of 18 (N=92)**




**Figure 8E.2: Percentage of Respondents with HIV Positive Child**

- None of the respondents with children under the age of 18 living with them reported that any of those children were HIV positive.

**Figure 8E.3: Reasons for Needing Help Caring for Children During Past Six Months**




**Figure 8E.4: Barriers to Accessing Childcare Services (N=11)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## F. Transportation


**Figure 8F.1: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months**



**Table 8F.1: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months**


Services	Used services	Couldn't get services	Didn't know about services	Didn't need services	N
To get medical care	38%	6%	5%	52%	87
To get medications	38%	4%	3%	56%	72
To run errands	13%	16%	10%	60%	67
To get other services	22%	5%	11%	62%	74
To get to work	3%	3%	8%	86%	65

**Figure 8F.2: Barriers to Accessing HIV/AIDS-Related Transportation Services in the Last Six Months (N=54)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


**Figure 8F.3: Usual Means of Transportation to HIV/AIDS Services (N=90)**



**Figure 8F.4: Who Pays for Transportation Services (N=84)**




**Figure 8F.5: Barriers to Getting Places in General (N=63)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## G. Mental Health and Substance Use


**Figure 8G.1: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months**



**Table 8G.1: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months**


Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Mental health counseling - individual	25%	7%	5%	63%	59
Mental health counseling - group	16%	5%	7%	72%	61
Outpatient substance use treatment	9%	2%	4%	86%	57
Inpatient substance use treatment	9%	2%	2%	88%	57

**Figure 8G.2: Barriers to HIV/AIDS-Related Mental Health Services in the Last Six Months (N=79)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 8G.3: Barriers to HIV/AIDS-Related Substance Use Services in the Last Six Months (N=78)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


**Figure 8G.4: Report Feeling These Emotions Over the Last Two Weeks**




**Figure 8G.5: Received Mental Health Services in Last Six Months (N=102)**




**Figure 8G.6: Types of Mental Health Counseling Received (N=33)**




**Figure 8G.7: Received Prescriptions for Mental Health Reasons (N=98)**




**Figure 8G.8: Received Mental Health Medications Needed (N=29)**




**Figure 8G.9: Hospitalized for Mental Health Reasons in Last Six Months (N=107)**



**Figure 8G.10: In Treatment for Substance Use in Last Six Months (N=104)**




**Figure 8G.11: Type of Substances Used in the Past Six Months (N=111)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 8G.12: Used Injection Drugs in the Past Three Months (N=93)**



**Figure 8G.13: Shared Needle With Others in Last Three Months**

[Too few responses to this question.]


**Figure 8G.14: Used Clean Needle Last Time**

[Too few responses to this question.]


**Figure 8G.15: Knows Where to Get Clean Needles**

[Too few responses to this question.]

**Figure 8G.16: If Using Substances, Expresses a Desire to Stop (N=41)**




**Figure 8G.17: Services Would Most Likely Use to Help With Substance Use (N=54)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## H. Other Services


**Table 8H.1: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months**



**Table 8H.1: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Financial assistance with utilities	12%	16%	16%	55%	74
Nutritional supplements	26%	4%	10%	59%	69
Financial assistance with critical needs	8%	12%	18%	62%	66
Nutritional counseling	20%	3%	14%	63%	70
Information on medical/support services	15%	10%	5%	70%	61
Home health services	7%	8%	8%	77%	61
Grief counseling	5%	5%	10%	81%	63
Services for physical function	8%	2%	6%	84%	63
Spiritual counseling	10%	2%	3%	85%	62
Caregiver support counseling	7%	4%	2%	88%	59
Child abuse/neglect counseling	0%	0%	3%	97%	60


**Figure 8H.2: Need and Use of Other HIV/AIDS Services Early in Their Diagnosis**



**Table 8H.2: Need and Use of Other HIV/AIDS Services Early in Their Diagnosis**

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Testing/diagnosing for immune system status	57%	3%	9%	31%	74
Counseling about living with HIV	45%	4%	6%	44%	77
Referrals to medical and support services	47%	1%	3%	49%	72
Opportunities to talk to other HIV+ people	24%	4%	13%	59%	71


**Figure 8H.3: Barriers to HIV/AIDS-Related Services Early in Their Diagnosis (N=54)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

## I. Support Services


**Figure 8I.2: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months**



**Table 8I.1: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months**


Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Food bank or food vouchers	12%	15%	18%	55%	73
Legal advice	22%	6%	12%	60%	68
Meals brought to my home	6%	11%	10%	73%	63
A break for me or my caregiver	6%	1%	16%	76%	67

**Figure 8I.2: Barriers to HIV/AIDS-Related Support Services in the Last Six Months (N=111)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Figure 8I.3: Time Between HIV Diagnosis and Disclosure of Status (N=96)**




**Figure 81.4: Reasons for Not Disclosing HIV Status Earlier (N=88)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 81.5: Others Who Know of Respondents' HIV Status (N=111)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 8I.6: Experienced Negative Reactions After Disclosing HIV Status (N=111)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 8I.7: Have Family or Friends for Help (N=98)**



## J. Positive Prevention

Figure 8J.1: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months





Table 8J.1: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months

Services	Used service	Couldn't get service	Didn't know about service	Didn't need service	N
Free condoms	49%	3%	6%	42%	79
Information about safer sex	48%	4%	5%	42%	73
Health education for prevention for positives	36%	3%	9%	53%	70
Information about HIV testing	35%	3%	7%	56%	72
Information about telling others about my HIV status	28%	3%	12%	57%	65


**Figure 8J.2: Barriers to HIV/AIDS-Related Prevention Services in the Last Six Months (N=52)**



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

**Sources of HIV/AIDS Information**


**Figure 8J.3: Identified Source of HIV/AIDS information (N=111)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Sexual Behavior in the Last Three Months**


**Figure 8J.4: Had Sex in Last Three Months (N=92)**




**Figure 8J.5: Number of Sex Partners in the Last Three Months (N=51)**




**Figure 8J.6: Have Condoms with Them or at Home (N=96)**




**Figure 8J.7: Used Condom Last Time Had Sex in Last Three Months (N=50)**



**Figure 8J.8a: Condom Use in the Past Three Months with Male Partner (N=31)**



**Figure 8J.8b: Condom Use in the Past Three Months with Female Partner (N=12)**



**Figure 8J.8c: Condom Use in Past Three Months with a Partner of Unknown HIV/AIDS Status**

[Too few responses to this question.]

**Figure 8J.8d: Condom Use in the Past Three Months with a Partner who Uses Injection Drugs**

[Too few responses to this question.]


**Figure 8J.8e: Condom Use in the Past Three Months When Had Sex in Exchange for Money or Drugs**

[Too few responses to this question.]

**Figure 8J.8f: Condom Use in the Past Three Months While Drunk or High**


[Too few responses to this question.]

**Figure 8J.9: Reasons for Not Using Condoms in the Last Three Months (N=53)**




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

**Figure 8J.10: Importance That Sexual Partners Have Same HIV/AIDS Status (N=89)**



**Figure 8J.11: Know HIV Status of Most Recent Sex Partner**



### K. Additional Comments

Figure 8K.1: Aware of HIV Planning or Advisory Committee (N=94)





Figure 8K.2: Currently Participate on HIV Planning or Advisory Committee (N=36)



**Figure 8K.3: Respondents Opinion on Length of Survey (N=97)**

